



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/608,363	06/26/2003	Ross Cutler	MSC-014-03	2917

7590 12/18/2006  
Katrina A. Lyon  
LYON & HARR, LLP  
Suite 800  
300 Esplanade Drive  
Oxnard, CA 93036

EXAMINER
----------

REKSTAD, ERICK J

ART UNIT	PAPER NUMBER
----------	--------------

2621

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	12/18/2006	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/608,363	<b>Applicant(s)</b> CUTLER, ROSS	
	<b>Examiner</b> Erick Rekstad	<b>Art Unit</b> 2621	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 26 June 2003.
- 2a) ☐ This action is FINAL.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3 and 5-22 is/are rejected.
- 7) ☒ Claim(s) 21 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

This is a First Office Action for application no. 10/608,363 filed on June 26, 2003 wherein claims 1-25 are presented for examination.

#### ***Claim Objections***

Claim 21 objected to because of the following informalities: The claim states "wherein the tilt angle of said cameras is adjusted by tilt for each camera can be calibrated". The Examiner is unable to determine what the Applicant is attempting to state. Appropriate correction is required.

#### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 5-9, 13, 14, 17, 19, 20, 22, and 23 are rejected under 35 U.S.C. 102(b) as being anticipated by US Patent 6,128,143 to Nalwa.  
[claims 1, 7, 13]

As shown in Figures 2 and 7, Nalwa teaches a camera system comprising an N-sided reflective surface (40) and N cameras (52,54,56 and 58) (Col 3 Lines 53-63). Nalwa further teaches the cameras are aligned so that they have the same virtual center (Col 4 Lines 11-38). Nalwa further teaches the use of an image stitcher (Mux 170 in Figure 7) for stitching each of said reflected images taken by adjacent cameras together to create a panoramic image (Col 6 Lines 1-21).

Art Unit: 2621

[claims 2, 3, and 19]

As shown in Figure 2, the cameras are tilted upward (90 degrees) relative to the horizontal to capture an increased vertical field of view. Nalwa further teaches the tilted cameras and mirrors in order to provided a 360 degree view of a scene as required by claim 3 (Abstract, Col 4 Lines 3-38).

[claims 5 and 20]

Nalwa further teaches the use of a mounting rod as shown in Figures 17-19. Figures 18 and 19, teach the mounting rod positioning said N-sided reflective surface above said N cameras each associated with a different side of said N-sided reflective surface (Col 11 Line 54-Col 12 Line 26).

[claim 6]

As shown in Figures 14 and 18, Nalwa teaches the positioning said N-sided reflective surface above said N cameras increases said vertical field of view of said N cameras (Col 10 Lines 1-6).

[claims 8, 9 and 17]

Nalwa further teaches the calibrating of the surface using a constant depth (Col 12 Line 47-Col 13 Line 4, Fig. 21). Nalwa teaches the use of the predefined test pattern (930 in Figure 21) for the calibrating as required by claim 9.

[claim 14]

Nalwa further teaches the cameras are image gathering devices such as an optical scanner (Col 3 Lines 62-63).

[claim 22]

Art Unit: 2621

Nalwa further teaches the use of a microcontroller for controlling the operation of the system (Col 6 Lines 13-18 and Lines 29-32).

[claim 23]

Nalwa teaches the cameras capture a 360 degree image (Abstract).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nalwa.

[claim 24]

Nalwa teaches the requirements of claim 22, Nalwa further teaches providing a means of building a viewer which does not provided a full 360 degree viewing (Col 5 Lines 45-51). It would have been obvious to one of ordinary skill in the art at the time of the invention to build a view with a total coverage of 180 as this is a coverage less then 360 degrees (Official Notice).

Claims 10 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nalwa as applied to claims 8 and 13 above, and further in view of US Patent 6,677,981 to Mancuso et al.

[claims 10 and 16]

As shown above for claim 9, Nalwa teaches the use of a predetermined calibration surface (930 in Figure 21) (Col 12 Line 47-Col 13 Line 4, Fig. 21). Nalwa does not teach the use of a user defined calibration surface.

Mancuso teaches a panoramic imaging system that provides the user the images and allows the user to define the calibration surface by determining how to combine the images (Col 8 Line 55-Col 9 Line 24, Fig. 4). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the calibration process of Mancuso in place of the calibration of Nalwa in order to allow the user to determine how to produce the panoramic images.

Claims 11, 12, 15, 18 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nalwa as applied to claims 8, 13 and 22 above, and further in view of US Patent 7,015,954 to Fonte et al.

[claims 11 and 12]

As shown above, Nalwa teaches the requirements of claim 8. Nalwa further teaches the images are a cylindrical arrangement which is displayed on a flat display (Col 2 Lines 16-Lines 28, Col 7 Lines 37-48, Figs 8 and 9). Nalwa does not teach the method of combining the images as claimed in claim 11.

As shown in Figure 6, Fonte teaches the calibrating and image stitching of images obtained by multiple cameras in order to provide a seamless panoramic image (Col 9 Lines 4-19, Figs 6 and 7). The stitching includes the marking of the images (ABCD, Fig 7) and the creating of a mapping table to alter the images (Col 10 Lines 1-6). It would have been obvious to one of ordinary skill in the art at the time of the

invention to combine the stitching method of Fonte with the imaging means of Nalwa in order to provide a seamless stitching means as taught by Fonte. In regards to claim 12, Fonte specifically teaches the use of the mapping table for new images as once the table is determined the camera location does not change (Col 10 Lines 1-6).

[claim 15]

As shown above, Nalwa teaches the requirements of claim 13. Nalwa does not teach the use of table edges for defining the calibration surface. Fonte teaches the creating of a mapping table based on images input as shown above for claims 11 and 12. Fonte further teaches the placing of the camera assembly on a conference table (Fig. 3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the stitching method of Fonte with the imaging means of Nalwa in order to provide a seamless stitching means as taught by Fonte. It would have further been obvious to one of ordinary skill in the art at the time of the invention that the images used to create the mapping table would include the table edges if the assembly was placed on the table as suggested by Fonte (Fig. 3) because the surrounds of the camera assembly would include the table.

[claims 18 and 25]

As shown above Nalwa and Fonte teach the requirements of claim 11. Nalwa further teaches the requirements of claim 13. Nalwa is silent on the use of LED patterns for calibrating the cameras. Fonte teaches the calibrating of the cameras by using an LED pattern to determine image points viewed by multiple cameras and adjusting based

Art Unit: 2621

on these points (Col 17 Line 29-Col 18 Line 8). Note specifically Col 18 Line 5 where Fonte states the use of LEDs. Fonte specifically teaches the use of such a calibration in order to overlap images (Col 17 Line 29-30). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the calibration of Fonte with the system of Nalwa in order to provide a panoramic image as taught by Fonte.

Claims 4 and 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nalwa as applied to claim 19 above, and further in view of US Patent 7,116,351 to Yoshikawa.

[claim 4]

As shown above, Nalwa teaches the requirements of claims 1 and 3. Nalwa is silent on the tilting of the cameras. Yoshikawa teaches a similar omnidirectional imaging device as Nalwa (Col 1 Lines 14-24, Fig. 1). Yoshikawa teaches the tilting of the cameras with an angle of less than 45 degrees in order to reduce the size of the imaging device (Abstract, Col 5 Lines 43-49 and Line 64-Col 6 Line 9, Fig. 3). It would have been an obvious to one of ordinary skill in the art at the time of the invention to combine the angled cameras of Yoshikawa with the imaging device of Nalwa in order to reduce the size of the imaging device as taught by Yoshikawa. It would have further been obvious to select an angle of the cameras at any angle below 45 degrees as a design choice with relation to the desired reduction in size of the imaging device.

[claim 21]

With respect to the objection above of claim 21, as best understood by the Examiner Nalwa teaches the tilted upward of each camera as shown for the rejection of



claim 19 (Fig. 2). Yoshikawa teaches a similar design as shown in Figure 1.

Yoshikawa further teaches an alternative embodiment wherein the camera and camera lens are tilted in order to reduce the size of the imaging device (Abstract, Col 5 Lines 57-Col 6 Line 9). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the teachings of Yoshikawa with the imaging device of Nalwa in order to provided an imaging device with a reduced size.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US Patent 6,011,558 to Hsieh et al.

US Patent 6,809,887 to Gao et al.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erick Rekstad whose telephone number is 571-272-7338. The examiner can normally be reached on 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on 571-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2621

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Erick Rekstad  
Examiner  
AU 2621  
(571) 272-7338  
[erick.rekstad@uspto.gov](mailto:erick.rekstad@uspto.gov)



GIMS PHILIPPE  
PRIMARY EXAMINER